

NPH Human Insulin

【INPH】NPH (瓶計價) (Humulin N[®]) 1000 IU/10mL/Vial

ATC Code : A10AC01

【INPHU】NPH (單位計價) (Humulin N[®]) 100 IU/mL

ATC Code : A10AC01

中文名： 優泌林-中效型 《臺灣禮來》

適應症： 糖尿病。

藥理分類： **Insulin, Intermediate-Acting.**

用法用量： **Administration:**

SubQ: For subcutaneous administration into the thigh, upper arm, buttocks, or abdomen; **do not** administer IM or IV, or in an insulin pump.

Dosage regimen:

Dosing is individualized per patient needs and dosage must be titrated to achieve glucose control and avoid hypoglycemia.

不良反應： 低血糖症（冒冷汗、心悸、頭痛、痙攣、昏亂），體重增加等。

注意事項：

1. 本品以皮下注射。本品不建議但也可能以肌肉注射。本品禁以靜脈注射。
2. 不要按摩注射部位。
3. 病人應隨身攜帶糖果，避免造成低血糖如冒冷汗、餓餓感、心跳加快。

懷孕期：
Insulin is the preferred treatment of type 1 and type 2 diabetes mellitus in pregnancy, as well as gestational diabetes mellitus, when pharmacologic therapy is needed (ACOG 190 2018; ACOG 201 2018; ADA 2019). **NPH insulin may be used to treat diabetes mellitus in pregnancy (ACOG 190 2018; ACOG 201 2018; Blumer 2013).**

授乳期：
授乳婦接受胰島素治療對嬰兒沒有危險性，但劑量可能需要 調整。

儲存：
應儲存於 2-8 °C 冷藏室；本品一旦開封使用，最多可用至 28 天；使用中的本品不可置於超過 30 °C 的環境儲存。

備註：
【INPHU】為以 1 Unit 計價之代碼，僅供住診入帳用。