

Calcium Phosphate Dibasic

【OCALG】 Calcium Gluconated Tab

ATC Code : A12AX

中文名：葡萄糖鈣丁片錠 《昇銘藥品》

適應症：鈣、磷質缺乏引起之軟骨症、皮膚病、妊婦、哺乳期鈣質之補給。

主成分：Each mL contains:
Calcium Gluconate..... 194 mg
Calcium Phosphate Dibasic..... 292 mg
Vitamin D₂ (Ergocalciferol)..... 330IU

藥理分類： Calcium Salt; Electrolyte Supplement, Oral; vitamin d, fat soluble.

用法用量： **Note: 1 Tab** contains elemental Ca : **131.34 mg**

Administration: orally, taken with plenty of fluids with or following meals.

Indications and dosage regimen:

Adults: 1 Tab three times a day with meals.

不良反應：高血鈣症、便秘。腸胃不適。

交互作用：

- Concurrent use with DIGITOXIN may result in cardiotoxicity.
- Concurrent use with Sod. POLYSTYRENE Sulfonate (eg. Kalimate) may result in an **increased** risk of systemic alkalosis.

注意事項：作為鈣質補充時，建議隨餐與食物併服。

懷 孕 期： 1.Calcium crosses the placenta. The ergocalciferol (vitamin D₂) metabolite, 25(OH)D, crosses the placenta.
2. The maternal dose of vitamin D needed to provide the infant with an adequate amount of vitamin D is still under study (*Wagner 2008*).

授 乳 期： 1.Calcium is present in breast milk. The 25(OH)D metabolite can be detected in breast milk
2. Calcium requirements are the same in lactating and nonlactating females (*IOM, 2011*).
3.Vitamin D supplementation is recommended in all infants who are partially or exclusively breast fed (*Misra 2008; Wagner 2008*).

備 註：1、鈣含量:

Calcium Gluconate.....194mg*9%=17.46 mg Ca
Calcium Phosphate Dibasic... 292mg*39%=113.88 mg Ca
1 Tab contains Ca : 17.46 mg+113.88 mg=**131.34 mg**

2、Vitamin D₂ :400-1000 IU/Day