

Fulisay

【OFUL】Fulisay[®] Solution 45ml/Bot

ATC Code : A06AD17

中文名： 富利瀉內服液 《中生生技》

適應症： 緩解偶發性便秘、手術前、X光或內視鏡檢查前之大腸灌洗。

成分： Each gm contains:

Monobasic sodium phosphate480 mg

Dibasic sodium phosphate 180 mg

藥理分類： **Cathartics and Laxatives.**

用法用量： **Administration:**

- Fulisay[®] works best when taken on an empty stomach. It should be taken at least 30 minutes before breakfast or at bedtime
- Fulisay[®] diluted in 240mL water or cold clear drink, followed by 240-720 mL water or cold clear drink.

Indications and dosage regimen:

Constipation:

Adults & children > 12yr: 15-45 mL QD,
10-11 yr, 15 mL QD;
5-9 yr, 7.5 mL QD;
<5 yr, not recommend.

Bowel evacuation prior to examination or surgery:

Adults, 30-45 mL twice. (Q12h or as physician's order)

不良反應： 噁心、嘔吐、腹脹。

注意事項： 1. 鬱血性心衰竭、腎衰竭、肝硬化合併腹水者不可使用。
2. 限鈉飲食患者使用須小心(Na:111.2 mg/mL)。
3. 服用本劑後至檢查前，應儘量多補充水份(1.5-2 L)。
4. 24 小時內之服用劑量若超過建議劑量，則可能引起傷害。

懷 孕 期： 無安全性相關資料。

授 乳 期： 無安全性相關資料。