

Gentamicin Sulfate

【TGMO5】 Gendermin® Oph. Ointment 3mg/g, 5g/Tube

ATC Code : S01AA11

中文名： 漸得明眼藥膏 «景德»

適應症： 結膜炎、眼瞼緣炎、角膜炎、淚囊炎、麥粒腫、虹彩毛樣體炎。

藥理分類： Antibiotic, Aminoglycoside; Ophthalmic.

用法用量： Instill 1/2" (1.25 cm) 3-4 times daily.
Increase frequency if necessary.

不良反應： 可能會引起眼睛的刺激反應、異物感、結膜充血、淚液增加。

注意事項： 眼藥瓶口，勿觸及眼、手或其他污染源。

懷 孕 期： 1.Adverse events were observed following systemic administration of gentamicin in animal reproduction studies. The amount of gentamicin available systemically following application of the ophthalmic drops is below the limit of detection (<0.5 mcg/mL) (Trope 1979).
2.In general, if ophthalmic agents are needed in pregnant women, the minimum effective dose should be used in combination with punctal occlusion to decrease systemic absorption (Samples 1988).

授 乳 期： 1.The amount of gentamicin available systemically following application of the ophthalmic drops is below the limit of detection (<0.5 mcg/mL) (Trope 1979).
2.In general, if ophthalmic agents are needed in lactating women, the minimum effective dose should be used in combination with punctal occlusion to decrease systemic absorption (Samples 1988).

儲 存： 避免陽光直射，儲存於 25°C 以下乾燥陰涼處。