

Mundisal Gel

【TMUN】Mundisal® Gel 10g/Tube

ATC Code : M02AC91

中文名：蒙得莎凝膠 «嘉德»

適應症：發炎、疼痛、單純疱疹。 An oral pain relieving antiseptic gel for topic use.

成分： Each g contains:

Choline salicylate ..... 87.1 mg

Cetalkonium chloride ..... 0.1 mg

藥理分類： Anti-infectives, Miscellaneous.

用法用量： For relieve of pain, inflammation, lesions and ulcer in the **mouth and pharynx**.

**Adult:** with a clean finger massage gently 1 cm of the gel to the tender, painful area.  
The gel may be applied every 2 to 3 hrs as required.

**Child ( 4 mths-2 yrs ) :** apply 0.5 cm of the gel and proceed as above.

不良反應： 輕微灼熱感。

禁忌： 對 salicylic acid 及 salicylate，或本藥品的其它成分過敏者禁用。

注意事項： 1.使用後若發生頭痛、耳鳴或聽力下降，須停藥就醫。  
2.每日使用勿超過 8-10 次。

懷孕期： 孕婦自懷孕 6 星期至分娩前，請勿使用。

授乳期： 無特別的建議，若需使用請謹慎。

除存： 於 25°C 以下儲存，必要時可至於冰箱冷藏；開封後可保存一年。