

Fluocinonide

【TTOPC】Topsym[®] Cream 0.05% 5g/Tube

ATC Code : D07AC08

中文名：妥膚淨親水軟膏 «台灣田邊»

適應症：急性濕疹、慢性濕疹、乳、小兒濕疹、脂漏性濕疹、貨幣狀濕疹、接觸性皮膚炎、異位性皮膚炎、尋常性皮膚炎、尋常性乾癬、圓形脫毛症、尋常性白斑、掌蹠膿疱症、癢疹類（蕁麻疹樣苔癬、粟粒疹或小丘疹、固定蕁麻疹）。

【TTOPL】Topsym[®] Lotion 0.05% 0.5mg/g, 10g/Bot

ATC Code : D07AC08

中文名：妥膚淨洗劑 «臺灣田邊»

適應症：濕疹、皮膚炎（進行性指掌角皮症、女性顏面黑皮症、慢性單純苔癬、放射線皮膚炎、日光皮膚炎）癢疹（蕁麻疹樣苔癬、嬰兒苔癬、固定蕁麻疹）乾癬、掌蹠性膿疱症、圓形脫毛症、尋常性白斑。

藥理分類：Corticosteroid, Topical.

用法用量：Apply 1-3 times daily.

不良反應：皮膚癢、痛或發紅、紅腫、易感染、毛囊炎。

注意事項：1.Topsym[®] Lotion 使用前須振搖。
2.不要長期或大面積使用。

懷 孕 期：Reproduction studies have not been conducted with all products. When conducted, adverse events were not observed in animal studies.

授 乳 期：1. Adverse events have been observed with corticosteroids in animal reproduction studies.
2. Topical corticosteroids are preferred over systemic for treating conditions, such as psoriasis or atopic dermatitis in pregnant women;
3. Topical products are not recommended for extensive use, in large quantities, or for long periods of time in pregnant women (Bae 2011; Koutroulis 2011; Leachman 2006).